ELECTRICAL ENGINEERING IN JAPAN
VOLUME 95
CONTENTS FOR 1975

Number 1

Page

PART A

Electrical and Electronics Materials, Plasma Physics, Nuclear Fusion, Precision Measurement and Instrumentation, Electromagnetic Theory and Nonlinear Oscillation

Broadband Wattmeters Employing Hall Elements and Magnetoresistive Elements, by S. Tanaka and K.S. Tei 1
Experiments on Magnetic Instability of Superconducting Tape, by S. Shimamoto 9
Dynamical Properties of Cs Plasma Produced by Q-Switched Laser Beams, by T. Yamamuchi, T. Okuda and N. Ishikawa 15
Thermally Stimulated Current Observed in Glass Transition Temperature, by T. Hino and Y. Kitamura 24
A Constant-Current Recording Method Employing Ferroelectric Materials, by H. Niitsuma and R. Sato 31

PART B

Electric Machinery, Power Apparatus, Energy Conversion, Magnetohydrodynamics, Electric Railway, Power Systems Planning, Power Distribution and Transmission

AC-DC Step-Up and Step-Down Power Converters Using Voltage Doubling Circuits, by Y. Kinouchi and T. Ushita 37
Suboptimal Stabilizing Control of Power System During Transient Period, by H. Kobayashi and K. Ichiyanagi 45
Step Drive of Two-Phase Servomotor and Its Analysis, by N. Matsui, H. Andoh and Y. Adachi 52
End Effect of a Magnetically Suspended Ultrahigh-Speed Train, by I. Takano, Y. Saito and H. Ogiwara 59
A Traveling Magnetic-Field Inducing Inverter, by Tung-Hai Chin and R. Kurosawa 67
Relation between Output Voltage and Gate Control Signal of Pulsewidth Modulators, by I. Takahashi and S. Miyairi 74
A New Efficient Method for Calculating Load Flow of AC/DC Systems, by T. Miki and K. Uemura 81
Experimental Study of High-Speed Linear Induction Motors, by S. Sakabe, M. Iwamoto and Y. Shinryo 87

Page

PART C

Solid-State Devices, Quantum Electronics, Integrated Circuits, Optoelectronics, Information Processing, Communications Systems, Computer Control, Learning Theory and Pattern Recognition

A New Control Method for an Inertial Object to Trace a Curve Smoothly, by S. Sone, H. Hoshino, H. Suzuki, T. Hattori, J. Watanabe and S. Samejima 93
Optimal Control of Stochastic Distributed-Parameter Systems by Functional Analysis, by S. Hata, H. Shibata and S. Ohmatsu 101
Suboptimization of Linear Systems by Quantized Controls, by A. Sano and H. Miura .. 108
Fundamental Characteristics of Systems for Continuous Detection of Vehicle Position by Induction Lines, by E. Itakura and T. Sasaki 115
Tracking Behavior of Human Operators in Preview Control Systems, by K. Ito and M. Ito 120
Effects of He and SF_6 Addition on Pulsed HBr Chemical Laser, by H. Oodate, M. Obara and T. Fujioka 127

Number 2

PART A

Electrical and Electronics Materials, Plasma Physics, Nuclear Fusion, Precision Measurement and Instrumentation, Electromagnetic Theory and Nonlinear Oscillation

Dielectric Characteristics of Silicone Oils at Low Temperature, by T. Teranishi, A. Ohashi and M. Ueda 1
Relationship between Eddy Current Loss and Switching Characteristics of 50% Ni-Fe Cores, by Y. Sakai, K. Ishikawa and I. Yamagishi 6
Mechanism of Dynamic Magnetization in 3% Si-Fe Single-Crystal Cores, by M. Yagi and T. Anayama 13
A Megawatt RF Oscillator with Vacuum Gaps, by R. Shimada and I. Hayashi 20

PART B

Electric Machinery, Power Apparatus, Energy Conversion, Magnetohydrodynamics, Electric Railway, Power Systems Planning, Power Distribution and Transmission

Design and Comparison of Ultrahigh-Speed Ground Transportation Systems, by I. Takano, Y. Saito and H. Ogiwara 26
Decision of Optimum Supply Voltage of Substation Transformers by Quadratic Programming. Pt-I. Search of a Feasible Solution Using Crout's Method, by H. Isoda 33
Decision of Optimum Supply Voltage of Substation Transformers by Quadratic Programming. Pt-II. Optimization Technique and Its Program for Practical Networks by Beale's Method, by H. Isoda 39
A Stochastic Scheduling for Short-Range Operation of Thermal Power System, by S. Yamashiro 46
Decentralized State Estimation in Power System, by S. Ishi and T. Fukao 53
Experimental Study on an MHD Generator with ETL Mark II, by K. Fushimi, T. Homma, S. Ikeda, K. Onda, K. Takano, Y. Kusaka, H. Kosaka, M. Furuyama, Y. Kaga, K. Kato and M. Amano 60
Effects of Smoothing Reactor on the Characteristics of the Commutatorless Motor, by T. Chino, Y. Hayashi and N. Sato 68
Synchronizing Phenomena of Schrage Motors at Synchronous Speed, by I. Shibata and M. Kamatani 76
Analysis of Speed Characteristics of the Attractive Electromagnet for the Magnetic Levitation of Vehicles, by S. Yamamura and T. Ito 84

Page

PART C

Solid-State Devices, Quantum Electronics, Integrated Circuits, Optoelectronics, Information Processing, Communication Systems, Computer Control, Learning Theory and Pattern Recognition

Defect Detection in Complicated Patterns, by T. Uno, M. Mese and M. Ejiri 90
Temperature Dependence of $In_{1-x}Ga_xSb$ Film Hall Elements, by Y. Amemiya, S. Minami and Y. Sakai 98
Construction of Hybrid Circuits with Coupled-Line Transformers, by N. Nishizuka and R. Sato 104
Feedback Control of Distributed-Parameter Systems by Scanning Detection, by T. Hisamura 111
Parameter Optimizing Software System Using Pade's Computation Method of Transient Response, by K. Watanabe and H. Shimizu 119

Number 3

PART A

Electrical and Electronics Materials, Plasma Physics, Nuclear Fusion, Precision Measurement and Instrumentation, Electromagnetic Theory and Nonlinear Oscillation

Molecular Beam Epitaxial GaP, Ga(AsP), by K. Tateishi, M. Naganuma and K. Takahashi 1
Dielectric Properties of Inorganic Salts (KNO_2, $NaNO_2$, $CaCO_3$) under High Pressure by Liquid-Solid Hybrid Systems, by S. Fujimoto, N. Yasuda and M. Koizumi 6
Study of Photoelectromotive Force and Trapping Levels of Anodized Ta_2O_5 Films, by H. Ishida, K. Tanaka and S. Kuniyoshi 13
Crystal Growth of Boron Mono-Phosphide and Its Electrical and Optical Properties, by M. Iwami, T. Tohda and K. Kawabe 19
Nonlinear Effects in the Current-Driven Ion-Acoustic Instability, by T. Yamamoto, Y. Nishio, A. Mase and T. Tsukishima 25
Forced Oscillations in a Nonlinear System with Time Delay, by Y. Uyeda and Y. Inouye 34

PART B

Electric Machinery, Power Apparatus, Energy Conversion, Magnetohydrodynamics, Electric Railway, Power Systems Planning, Power Distribution and Transmission

Analysis of Flux Distribution of Three-Phase, Three-Limbed Transformer Cores, by T. Nakata 43
Mode Decoupling Control Scheme of HVDC Multiterminal Transmission Systems, by T. Sonobe and E. Masada 51
Unified Analysis of Solid Rotor Induction and Hysteresis Motors, by T. Kataoka 60
AC-DC Conversion by High-Frequency Chopper, by M. Nishimura, T. Maruhashi, M. Nakaoka and T. Hamaguchi 68
A Transformerless DC-DC Converter Employing an Inverter and Multivoltage Rectifier, by H. Kazuno 75
Harmonic Analysis of Multiphase Chopper-Type AC-DC Converter, by T. Fukao, M. Noguchi and S. Miyairi 83
Improvement of Pull-In Characteristics of a Synchronous Motor by Field Changeover Control, by G. Miura, K. Sato, N. Tsuzuki and T. Kawaguchi 91
Transfer Function Model of Feedback Control Systems with Line-Commutated Converters, by S. Koseki and E. Masada 99

PART C

Solid-State Devices, Quantum Electronics, Integrated Circuits, Optoelectronics, Information Processing, Communications Systems, Computer Control, Learning Theory and Pattern Recognition

Identification of Time Varying Linear System without a priori Information on Variation of System Parameters, by T. Okita and H. Takeda 107
Optimal Output Feedback Control of Linear Systems in the Presence of Step Disturbances, by T. Yahagi 115
A Method of Failsafe Synthesis for Hardware System of Interlocking Device in Railway Signaling, by I. Okumura 122
A Multichannel Acoustic Emission Source Location System and Its Application to Fatigue Test of a Reactor Vessel, by M. Onoe, K. Yamaguchi, H. Ichikawa and T. Shimada 129

Number 4

PART A

Electrical and Electronics Materials, Plasma Physics, Nuclear Fusion, Precision Measurement and Instrumentation, Electromagnetic Theory and Nonlinear Oscillation

Production of High-Current, Low-Energy Ion Beams, by H. Kiyama 1
Density Profile of a Cesium Plasma Controlled by Irradiation of Resonant Light, by J. Yamada and T. Okuda 8
Electrical Characteristics of Amorphous Semiconductor Thin Films of As-Te-Ge-Si System, by T. Miyazono, T. Shiraishi, T. Kurosu and M. Iida 14
Measurement of Radiation Loss from a High-Energy Carbon Arc, by H. Enjoji, S. Ishi and K. Maruyama 20
Characteristics of Twin Probes under DC and HF Fields, by H. Fujita and M. Akazaki .. 27

PART B

Electric Machinery, Power Apparatus, Energy Conversion, Magnetohydrodynamics, Electric Railway, Power Systems Planning, Power Distribution and Transmission

Analysis of Self-Synchronization by Performance Index of a Synchronous Machine, by K. Nakamura, E. Kawagoe and S. Muto 34
Virtual Branch Method and Its Application to Load-Flow Analysis, by Y. Okamoto 42
AC Constant Voltage Regulator by Improved Partial Voltage Phase-Control Technique, by T. Maruhashi, M. Nakaoka and T. Ito 47
Three-Phase Thyristor Inverters with Improved Output Voltage Waveforms Using Middle Point of DC Power Source, by H. Matsumoto 54
Voltage Collapse at Load Ends of Power Systems, by T. Nagao 62
Effect of Internal Water Cooling on Duct-Installed Underground Cables, by H. Kinoshita, H. Kurihara, K. Matsuura and K. Furukawa 70
Analysis of Operating Characteristics of Short-Rotor Linear Induction Motors Driven by Constant-Voltage Sources, by T. Onuki and T. Meguro 80
Stability of Synchronous Motors Driven by a Thyristor Inverter, by I. Yasuoka and Y. Tsunehiro 90

PART C

Solid-State Devices, Quantum Electronics, Integrated Circuits, Optoelectronics, Information Processing, Communications Systems, Computer Control, Learning Theory and Pattern Recognition

Steady-State Analysis of Periodically Operating Thyristor Circuits by Newton's Method, by Y. Ohta and T. Maruhashi 97
Oscillation Condition of HF-Oscillator-Type Proximity Switches, by M. Uemora, Z. Kitamura and M. Terada 105

Page

Optimal Control of Pulse-Manipulated Systems, by S. Nakano, A. Sano and T. Horii 112
Improvement of Response Time Characteristics of a Multicomputer System for Process Control Use, by Yoshihiro Matsumoto 119

Number 5

PART A

Electrical and Electronics Materials, Plasma Physics, Nuclear Fusion, Precision Measurement and Instrumentation, Electromagnetic Theory and Nonlinear Oscillation

Ionic Conductivity Behavior and Ionic Dissociation Energy in Liquid Dielectric under a Low Electric Field, by H. Kanegae and T. Miyamoto 1
A Sensitive Electrostatic Torque Balancing Instrument Utilizing Quadrant Electrometer, by T. Yamazaki 8
$Zn_{1-x}Cd_xTe$ pn Junctions Prepared by Liquid Phase Epitaxy, by N. Matsunaga, K. Katsukawa and K. Takahashi 15
Breakdown Mechanism of Laser-Triggered Spark Gap in Nonuniform Field [I]. Trigger Effect and Time-Lag Characteristics, by Y. Kawada, S. Suzuki, T. Hosakawa and Y. Miyoshi 20

PART B

Electric Machinery, Power Apparatus, Energy Conversion, Magnetohydrodynamics, Electric Railway, Power Systems Planning, Power Distribution and Transmission

Number of Sections Necessary for Transmission Line Model Used for Transient Network Analyzer, by T. Ono and H. Matsubara 26
Improvement of Particle-Charging Efficiency via Hermstein Glow Corona, by S. Masuda and M. Niioka 34
Distributions of Rotating Flux and Iron Loss in T-Joints of Three-Phase, Three-Limbed Model Transformer Cores, by K. Narita, T. Yamaguchi and I. Chida 42
A Scheduling Method for Power System Operation Using a Short-Range Reliability Index, by S. Yamashiro 49
A Branch-and-Bound Algorithm for Start-up and Shut-down Problem of Thermal Generating Units, by A. Ohuchi and I. Kaji 54
Commutation Failure Caused by Switching-on of Shunt Capacitor and Its Prevention, by T. Hayashi 62
Effect of Leakage Flux on the Stability of a Magnetic Suspension Device Using a Tuned LCR Circuit, by S. Hagihara 71
Large-Power Transmission System for Ship Propulsion Using Electromagnetic Gear, by F. Shibata 77

PART C

Solid-State Devices, Quantum Electronics, Integrated Circuits, Optoelectronics, Information Processing, Communication Systems, Computer Control, Learning Theory and Pattern Recognition

Parametric FM Discriminators Suited for Integrated Circuits, by M. Sowa and Y. Tanno 88
Characteristics and an Application of a CR Logarithmic A-D Converter, by N. Ogiwara and T. Saegusa 93
Extended Theory of Learning Identification, by T. Hinamoto and S. Maekawa 101
Discussion on "Extended Theory of Learning Identification", by N. Suda and T. Fujii 108
Reply to Discussion by Suda and Fujii, by T. Hinamoto and S. Maekawa 109
Fourier Transform of Discrete Data Rendered Continuously by Use of Polynomial Interpolation, by K. Watanabe and K. Shimada 111
Zeroing and the Design of a Zero-Sensitivity System, by T. Mita and K. Hasegawa 118

Number 6

Page

PART A

Electrical and Electronics Materials, Plasma Physics, Nuclear Fusion, Precision Measurement and Instrumentation, Electromagnetic Theory and Nonlinear Oscillation

Preparation of InAs Films for Hall Elements: Chemical Vapor Deposition Method Using H_2O as Transport Agent, by Y. Ikawa, A. Yoshikawa and Y. Sakai 1
Nonlinear Oscillations in a Series-Resonance Circuit with a Saturable Core, by K. Ohshima 7
Decomposition Products of SF_6 Gas by High-Current Arc and Their Reaction Mechanisms, by K. Hirooka, H. Kuwahara, M. Noshiro and Y. Jitsugiri 14
Theoretical Characteristics of Double- and Triple-Array Electric Curtains of Standing Wave Type, by M. Aoyama and S. Masuda 20
Molecular Beam Epitaxy with Ionized Dopant, by N. Matsunaga, M. Naganuma and K. Takahashi 28
Gain and Discharge Characteristics of High Flow Rate CO_2 Lasers, by A. Kujisawa, H. Shirahata and T. Ohno 33

PART B

Electric Machinery, Power Apparatus, Energy Conversion, Magnetohydrodynamics, Electric Railway, Power Systems Planning, Power Distribution and Transmission

Bias-Voltage-Controlled Thyristor Power Supply, by H. Okitsu, T. Suzuki and T. Ohnishi 38
Characteristics of Single-Sided Linear Induction Motors, by S. Sakabe and M. Iwamoto 45
Shielding of Superconducting Field Winding of Synchronous Generator from AC Magnetic Field, by T. Ishigohoka and N. Mizukami 54
Effects of Rotor Slot Shape on the Alternating Torque Characteristics of Condenser Motors, by T. Yokozuka 61
Convergence and Its Improvement of Bad Data Suppression (BDS) Estimator in Power Systems, by K. Egawa and T. Fukao 70
A New Thyristor Inverter with Improved Commutating Efficiency, by K. Matsui and N. Sato 74
Brushless Compensation of Armature Reaction of Commutatorless Motors, by S. Nonaka and K. Ohguchi 83
Load Characteristics of Polyphase Multivibrators, by K. Harada and M. Nagao 91

PART C

Solid-State Devices, Quantum Electronics, Integrated Circuits, Optoelectronics, Information Processing, Communications Systems, Computer Control, Learning Theory and Pattern Recognition

Effect of Non-White References on the Statistical Accuracy of a Random Reference Correlator, by N. Iwama, T. Kimura and T. Tsukishima 97
A Sequence Control Device by Multicontrol Technique, by G. Hamano 104
A Probabilistic Model for Run-Length Encoding of Line Drawings, by M. Hatada 112
An Information Theoretical Consideration for Optimization of Observation Systems, by S. Tsuji and S. Tanaka 120
An Extremum Searching Method for Unknown Multimodal Systems by Global Function Learning, by S. Tsuji, K. Kumamaru and H. Fujibuchi 128